

Stainless Steel Banding Products


For use on wood, steel and concrete utility poles

macleanpower.com



MPS Stainless Steel Banding Products

Stainless Banding with Buckle



MBAB Series

Page 3

Stainless Double Banding with Buckles



MBAB-2 Series

Page 3

Stainless Banding with Buckle



MHDBB-1511 Series

Page 4

U-guard and Conduit Straps



MBST Series

Page 4

Small General Purpose Mount



MMD-4080

Page 5


Medium General Purpose Mount



MD-4080-BS1

Page 5


Stainless Banding Bulk Packaging



MXXX-201-SSB-100 Series

Page 3

Buckles for Stainless Banding



MBAB Series

Page 3

Stainless Banding Service Drop



MBSD-38

Page 5

Stainless Banding Cable Tie Retainer



MCTR

Page 5

Large General Purpose Mount



MD-4080-BS2

Page 5

Transformer Mounting Bracket





MBB-5M1-6LB

Page 5


Stainless Steel Banding Products

MacLean stainless banding is made of 201 annealed stainless steel. This material has a tensile of 95,000 PSI and a yield of 45,000 PSI. Stainless banding comes in sizes of .030" thick x 3/4" width, or .044" thick x 1-1/4" width.


Stainless Banding with Buckle

Band Type	Catalog Number	Banding Length	Banding Width	Hardware Size	Standard Pack	Weight (Lbs.)
	MBAB-3836	36"	3/4"	3/8"	24	0.77
	MBAB-3840	40"	3/4"	3/8"	24	0.82
	MBAB-3848	48"	3/4"	3/8"	24	0.87
	MBAB-3860	60"	3/4"	3/8"	24	0.92
	MBAB-3872	72"	3/4"	3/8"	24	1
	MBAB-3884	84"	3/4"	3/8"	24	1.12
	MBAB-5836	36"	1-1/4"	5/8"	24	1.82
	MBAB-5840	40"	1-1/4"	5/8"	24	1.87
	MBAB-5848	48"	1-1/4"	5/8"	24	1.97
	MBAB-5860	60"	1-1/4"	5/8"	24	2.12
	MBAB-5872	72"	1-1/4"	5/8"	24	2.32
	MBAB-5884	84"	1-1/4"	5/8"	24	2.52
		MBAB-5836	36"	1-1/4"	5/8"	24
MBAB-5848		48"	1-1/4"	5/8"	24	4.04
MBAB-5888		88"	1-1/4"	5/8"	24	7.54

Stainless Banding Bulk Packaging


	Catalog Number	Banding Length	Banding Width	Standard Pack	Weight (Lbs.)
					
	M3/4-201-SSB-100	100'	3/4"	1	8.02
	M1-1/4-201-SSB-100	100'	1-1/4"	1	19.03

Buckles for Stainless Banding


	Catalog Number	Standard Pack	Weight (Lbs.)
			
	MBAB-38	24	0.52
	MBAB-58	24	1.27

MacLean stainless banding is made of 201 annealed stainless steel. This material has a tensile of 95,000 PSI and a yield of 45,000 PSI. Stainless banding comes in sizes of .030" thick x 3/4" width, or .044" thick x 1-1/4" width.

Multi Purpose Mounting Bracket

	Catalog Number	Banding Width	Std. Pack	Weight (lbs.)	Description
	MBB-1511-H	3/4" or 1-1/4"	24	0.62	Light Duty Mount with 5/8"x 2" Bolt
	MHDBB-1511-H	3/4" or 1-1/4"	24	0.87	Heavy Duty Mount with 5/8"x 2" Bolt
	MHDBB-1511-H3H	3/4" or 1-1/4"	24	1.02	Heavy Duty Mount with Grade 5, 5/8"x 3" Bolt
	MHDBB-1511-H3.5H	3/4" or 1-1/4"	24	0.98	Heavy Duty Mount with Grade 5, 5/8"x 3-1/2" Bolt

U-guard and Conduit Straps

	Catalog Number	Conduit Size	Banding Width	Standard Pack	Weight (lbs.)
	MBST-1	1"	3/4"	24	0.09
	MBST-2	2"	3/4"	24	0.13
	MBST-3	3"	3/4"	24	0.17
	MBST-4	4"	3/4"	24	0.19
	MBST-5	5"	3/4"	24	0.25
	MBST-6	6"	3/4"	24	0.29

Stainless Banding Service Drop




Catalog Number	Banding Size	Standard Pack	Weight (lbs.)	Description
MBSD-38	3/4" or 1-1/4"	50	0.084	Aluminum service drop for stainless banding

Stainless Banding Cable Tie Retainer



Catalog Number	Banding Size	Standard Pack	Weight (lbs.)	Description
MCTR	3/4" or 1-1/4"	100	0.018	Aluminum cable tie retainer for use with 3/4" or 1-1/4" stainless banding

Stainless Banding General Purpose Mount*



*The bodies of the MD-4080 series are made from galvanized steel

Catalog Number	Banding Size	Standard Pack	Weight (lbs.)	Description
MD-4080	3/4" or 1-1/4"	5	6.52	Formed channel 10" x 5" with 2-1/2" legs, Center Mounting hole is 13/16"
MD-4080-BS1	3/4" or 1-1/4"	5	7.28	Same as above, but with 5/8" x 3 - 1/2" hardware
MD-4080-BS2	3/4" or 1-1/4"	5	10.57	Formed channel 14" x 5" with 2-1/2" legs, Comes with (2) - 5/8" x 3 - 1/2" hardware installed

Stainless Banding Transformer Mounting Bracket



Catalog Number	Banding size	Standard Pack	Weight (lbs.)	Description
MBB-5M1-6LB	3/4" or 1-1/4"	5	9.34	Adjustable transformer mounting bracket, Can mount 12" and 24" spacing transformers

Cross Reference



MacLean	Aluma-Form	Hubbell	Barfield	Description	Page #
MBAB-3836	BAB-3836	CBAB3836	BAD1PLK-36	Assembled stainless banding with buckle	3
MBAB-3840	BAB-3840	CBAB3840	BAD1PLK-40	Assembled stainless banding with buckle	3
MBAB-3848	BAB-3848	CBAB3848	BAD1PLK-48	Assembled stainless banding with buckle	3
MBAB-3860	BAB-3860	CBAB3860	BAD1PLK-60	Assembled stainless banding with buckle	3
MBAB-3872	BAB-3872	CBAB3872	BAD1PLK-72	Assembled stainless banding with buckle	3
MBAB-3884	BAB-3884	CBAB3884	BAD1PLK-84	Assembled stainless banding with buckle	3
MBAB-5836	BAB-5836	CBAB5836	BAD2PLK-36	Assembled stainless banding with buckle	3
MBAB-5840	BAB-5840	CBAB5840	BAD2PLK-40	Assembled stainless banding with buckle	3
MBAB-5848	BAB-5848	CBAB5848	BAD2PLK-48	Assembled stainless banding with buckle	3
MBAB-5860	BAB-5860	CBAB5860	BAD2PLK-60	Assembled stainless banding with buckle	3
MBAB-5872	BAB-5872	CBAB5872	BAD2PLK-72	Assembled stainless banding with buckle	3
MBAB-5884	BAB-5884	CBAB5884	BAD2PLK-84	Assembled stainless banding with buckle	3
MBAB-5836	BAB-5836	CBAB5836	BAD2PLK-36	Assembled stainless banding with buckle	3
MBAB-5848	BAB-5848	CBAB5848	BAD2PLK-48	Assembled stainless banding with buckle	3
MBAB-5888	BAB-5888	CBAB5888	BAD2PLK-88	Assembled stainless banding with buckle	3
M3/4-201-SSB-100	3/4-201-SSB-100	C3/4201SSB100	SSTROLL-75	100' Roll of 3/4" 201 stainless banding	3
M1-1/4-201-SSB-100	1-1/4-201-SSB-100	C11/4201SSB100	SSTROLL-125	100' Roll of 1-1/4" 201 stainless banding	3
MBAB-38	BAB-38	CBAB38	BADPLK	Buckle kit for 3/4" stainless banding	3
MBAB-58	BAB-58	CBAB58	BADPLK	Buckle kit for 1-1/4" stainless banding	3
MBB-1511-H	BB-1511-H	-	BMPPB-2	Light Duty Mount with 5/8"x 2" Bolt	4
MHDBB-1511-H	HDBB-1511-H	CHDBB1511H	BMPPB-2HD	Heavy Duty Mount with 5/8"x 2" Bolt	4
MHDBB-1511-H3H	HDBB-1511-H3H	CHDBB1511H3H	BMPPB-3HD	Heavy Duty Mount w/ Grade 5, 5/8"x 3" Bolt	4
MHDBB-1511-H3.5H	HDBB-1511-H3.5H	-	-	Heavy Duty Mnt w/ Grade 5, 5/8"x 3-1/2" Bolt	4
MBST-1	BST-1	-	-	U-guard and conduit straps	4
MBST-2	BST-2	-	-	U-guard and conduit straps	4
MBST-3	BST-3	-	-	U-guard and conduit straps	4
MBST-4	BST-4	-	-	U-guard and conduit straps	4
MBST-5	BST-5	-	-	U-guard and conduit straps	4
MBST-6	BST-6	-	-	U-guard and conduit straps	4
MBSD-38	BSD-38	-	-	Stainless banding service drop	5
MCTR	CTR	-	-	Stainless Banding Cable Tie Retainer	5
MD-4080	MD-4080	CD4080	-	Stainless banding general purpose mount	5
MD-4080-BS1	MD-4080-BS1	-	-	Stainless banding general purpose mount with hardware	5
MD-4080-BS2	MD-4080-BS2	-	-	Stainless banding general purpose mount with hardware	5
MBB-5M1-6LB	BB-5M1-6LB	-	-	Stainless banding transformer mounting bracket	5

Other Quality MacLean Products

Anchoring Systems
Surge Arresters
Conductor Hardware
Connectors
Cutouts
Enclosures and Pads
Fiberglass Products
Grounding and Tools
Insulator Systems
Pole Line Hardware
Formed Wire
Aluminum Mounts
Telecommunications Hardware

MacLean Power Systems
481 Munn Road, Suite 300
Fort Mill, SC 29715 USA
fax 803.396.8601
maclepower.com

Customer Service 1.800.MPS.SHIP
info@maclepower.com